

	Measure Title	NQF # (CMS eCQM #)	Population	NCQA eMeasure Certification	CMS/AHIP Consensus Core Set ACO & PCMH	CPC+	HEDIS Plan Level	NCQA PCMH Recognition	Owner (Developer)
Acute	Appropriate Treatment for Children with Upper Respiratory Infection	69 (154)	Pediatric	✓			✓	✓	NCQA ⁱ
Behavioral Health/ Chronic Care	ADHD: Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder Medication	108 (136)	Pediatric	✓			✓	✓	NCQA
	Dementia: Cognitive Assessment	NA (149)	Adult			✓		✓*	AMA PCPI ⁱⁱ
	Depression Remission at Twelve Months	710 (159)	Adult	✓	✓	✓		✓	MNCM ⁱⁱⁱ
	Depression Utilization of the PHQ-9 Tool	712 (160)	Adult	✓				✓	MNCM
	Initiation and Engagement of Alcohol and Other Drug Dependence Treatment	4 (137)	Adult Adolescent			✓	✓	✓	NCQA
Chronic Disease Care	Controlling High Blood Pressure	18 (165)	Adult	✓	✓	✓	✓	✓	NCQA
	Coronary Artery Disease: Beta-Blocker Therapy - Prior Myocardial Infarction or Left Ventricular Systolic Dysfunction (LVEF <40%)	NA (145)	Adult					✓*	AMA PCPI
	Diabetes: Eye Exam	55 (131)	Adult	✓	✓	✓	✓	✓	NCQA
	Diabetes: Foot Exam	56 (123)	Adult	✓	✓			✓	NCQA
	Diabetes: Hemoglobin A1c Poor Control (>9%)	59 (122)	Adult	✓	✓	✓	✓	✓	NCQA
	Diabetes: Medical Attention for Nephropathy	62 (134)	Adult	✓	✓		✓	✓	NCQA
	Functional Status Assessment for Congestive Heart Failure	NA (90)	Adult					✓	CMS (NCQA) ^{iv}
	Heart Failure: Angiotensin-Converting Enzyme (ACE) Inhibitor or Angiotensin Receptor Blocker (ARB) Therapy for Left Ventricular Systolic Dysfunction	2907 (135)	Adult					✓*	AMA PCPI
	Heart Failure: Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction	2908 (144)	Adult					✓*	AMA PCPI
	Hypertension: Improvement in Blood Pressure	NA (65)	Adult					✓	CMS (NCQA)
	Ischemic Vascular Disease: Use of Aspirin or Another Antiplatelet	68 (164)	Adult			✓		✓	NCQA
	Use of High-Risk Medications in the Elderly	22 (156)	Adult		✓		✓	✓	NCQA

	Measure Title	NQF # (CMS eCQM #)	Population	NCQA eMeasure Certification	CMS/AHIP Consensus Core Set ACO & PCMH	CPC+	HEDIS Plan Level	NCQA PCMH Recognition	Owner (Developer)
Overuse	Use of Imaging Studies for Low Back Pain	52 (166)	Adult	✓	✓	✓	✓	✓	NCQA
Immunization	Childhood Immunization Status	38 (117)	Pediatric	✓			✓	✓	NCQA
	Preventive Care and Screening: Influenza Immunization	41 (147)	Adult Pediatric					✓*	AMA PCPI
Preventive Care	Breast Cancer Screening	2372 (125)	Adult	✓	✓	✓	✓	✓	NCQA
	Cervical Cancer Screening	32 (124)	Adult	✓	✓	✓	✓	✓	NCQA
	Chlamydia Screening for Women	33 (153)	Adult Pediatric	✓			✓	✓	NCQA
	Colorectal Cancer Screening	34 (130)	Adult	✓	✓	✓	✓	✓	NCQA
	Falls: Screening for Future Fall Risk	101 (139)	Adult			✓	✓	✓*	AMA PCPI
	Maternal Depression Screening	NA (82)	Adult Pediatric					✓	NCQA
	Pneumococcal Vaccination Status for Older Adults	43 (127)	Adult				✓	✓	NCQA
	Preventive Care and Screening: Body Mass Index Screening and Follow-Up Plan	421 (69)	Adult		✓			✓	CMS (QIP) ^y
	Preventive Care and Screening: Screening for Depression and Follow-Up Plan	418 (2)	Adult Pediatric	✓				✓	CMS (QIP)
	Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention	28 (138)	Adult		✓	✓		✓*	AMA PCPI
	Primary Caries Prevention Intervention as Offered by Primary Care Providers, including Dentists	NA (74)	Adult Pediatric					✓	CMS (NCQA)
	Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents	24 (155)	Pediatric	✓			✓	✓	NCQA
Admin QMs	Closing the Referral Loop: Receipt of Specialist Report	NA (50)	Adult Pediatric			✓		✓	CMS (NCQA)
	Documentation of Current Medications in the Medical Record	419 (68)	Adult				✓	✓	CMS (QIP)

* Measures owned by AMA PCPI are included here as proposed measures for use in the NCQA PCMH Recognition Program, as NCQA is currently seeking permission for such use from AMA PCPI.

ⁱ NCQA is the owner and steward of this measure.

ⁱⁱ Copyright 2015 PCPI(R) Foundation and American Medical Association. The Measures, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, e.g., use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measures for commercial gain, or incorporation of the Measures into a product or service that is sold, licensed or distributed for commercial gain.

Commercial uses of the Measures require a license agreement between the user and the PCPI(R) Foundation (PCPI[R]) or the American Medical Association (AMA). Neither the American Medical Association (AMA), nor the AMA-convened Physician Consortium for Performance Improvement(R) (AMA-PCPI), now known as the PCPI, nor their members shall be responsible for any use of the Measures.

ⁱⁱⁱ Copyright MN Community Measurement, 2016. All rights reserved.

^{iv} This measure is included with the permission of the measure owner and steward, the Centers for Medicare & Medicaid Services (CMS). CMS contracted with NCQA to develop this electronic measure.

^v This measure is included with the permission of the measure owner and steward, the Centers for Medicare & Medicaid Services (CMS). CMS contracted with Quality Insights of PA to develop this electronic measure.